

УФ- трансиллюминаторы

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hbd@nt-rt.ru || сайт: <https://herolab.nt-rt.ru/>

UV Transilluminators

Blue Light LED and White Light LED models → see page 8



➤ Advantages of the Herolab UV Transilluminators:

- **Homogenous** illumination of samples through special reflectors of refined aluminum
- Effective use of the **high intensity** of the tubes
- **Herolab LongLife® Electronics:** Low heat generation, quick start without flickering, long lifetime
- Stainless steel filter frame, powder-coated housing, counter-sunk switches

➤ Models in many different variations:

Two different Filters:

High Contrast Filter plate → HC

- **High Contrast for better recognition of bands**
- Improved contrast with all fluorophores

or: inexpensive Standard Filter plate

Three different classes:

1. Standard class – For all applications

- Standard housing with
- Intensity switch 100 % - 75 % (not included with UVT-14)
- Adjustable UV protection shield inclusive

2. Economy class – Good quality and inexpensive →E

- Economy housing
- UV protection shield as option, only!




3. Advanced class – Multiwave or variable intensity control

- Standard housing
- Duo: with two wavelengths / Trio: with three wavelengths in one unit →S/M/L
- Every combination of wavelengths is possible
- With intensity switch 100 % - 75 % or with variable electronic intensity control →V
- Adjustable UV protection shield inclusive



Three different wavelengths:



Five different sizes:

UVT-14 – Filter size 11 x 14 cm: Dimensions of the housing: 266 x 186 x 80 mm

UVT-22 – Filter size 14 x 22 cm: Dimensions of the housing: 266 x 186 x 80 mm

UVT-20 – Filter size 20 x 20 cm: Dimensions of the housing: 470 x 340 x 135 mm
or 310 x 316 x 80 mm (Economy)

UVT-28 – Filter size 22 x 28 cm: Dimensions of the housing: 470 x 340 x 135 mm
or 310 x 316 x 80 mm (Economy)

UVT-40 – Filter size 20 x 40 cm: Dimensions of the housing: 470 x 340 x 135 mm
or 310 x 316 x 80 mm (Economy)

→ All models are available in 115 V, as well.

UV Protection



Caution:

UV light is dangerous for your eyes and your skin.
Always wear an adequate UV protection.



Cat. No.	Description	
29 59 298	UV Protection Shield with hinges for Economy Transilluminators UVT-14 and UVT-22	
29 70 098	UV Protection Shield with hinges for Economy Transilluminators UVT-20 and UVT-28	
29 93 100	UV Protection Glasses	
29 93 000	UV Full Face Protection	

RadiCon®-Plates

Converter UV Light to visible Light

Cat. No.	Filter size
29 86 130	30 x 30 cm



White Light LED or Blue Light LED Transilluminators → see page 8

Filter protection plates

Put the **Filter protection plate** which is made from 3 mm strong acrylic glass to protect the filter against mechanical damage. **This plate does not provide any UV protection!**

Always wear adequate UV protection!



Cat. No.	For Filter size
29 87 000	11 x 14 cm
29 87 050	14 x 22 cm
29 87 100	20 x 20 cm
29 87 200	22 x 28 cm
29 87 300	20 x 40 cm

Models:

Cat. No. 230 V	Model	Class	Filter size	Wavelength	Number of tubes	Dimension of the housing
29 61 100	UVT-14 SE	Economy	11 x 14 cm	254 nm	4 x 6 W	266 x 186 x 80 mm
29 61 200	UVT-14 ME	Economy	11 x 14 cm	312 (302) nm	4 x 6 W	266 x 186 x 80 mm
29 61 205	UVT-14 ME- HC	High Contrast	11 x 14 cm	312 (302) nm	4 x 6 W	266 x 186 x 80 mm
29 61 300	UVT-14 LE	Economy	11 x 14 cm	365 nm	4 x 6 W	266 x 186 x 80 mm
29 61 500	UVT-22 SE	Economy	14 x 22 cm	254 nm	4 x 6 W	266 x 186 x 80 mm
29 61 600	UVT-22 ME	Economy	14 x 22 cm	312 (302) nm	4 x 6 W	266 x 186 x 80 mm
29 61 605	UVT-22 ME- HC	High Contrast	14 x 22 cm	312 (302) nm	4 x 6 W	266 x 186 x 80 mm
29 61 700	UVT-22 LE	Economy	14 x 22 cm	365 nm	4 x 6 W	266 x 186 x 80 mm
29 60 000	UVT-20 S	Standard	20 x 20 cm	254 nm	6 x 8 W	470 x 340 x 135 mm
29 70 030	UVT-20 SE	Economy	20 x 20 cm	254 nm	6 x 8 W	310 x 316 x 80 mm
29 75 000	UVT-20 S / W	Standard	20 x 20 cm	254 nm + White light	6 x 8 W 3 x 6 W	470 x 340 x 135 mm
29 76 000	UVT-20 SML	Advanced	20 x 20 cm	254 nm + 312 (302) nm + 365 nm	6 x 8 W 6 x 8 W 5 x 8 W	470 x 340 x 135 mm
29 76 500	UVT-20 SM	Advanced	20 x 20 cm	254 nm + 312 (302) nm	5 x 8 W 6 x 8 W	470 x 340 x 135 mm
29 76 700	UVT-20 SL	Advanced	20 x 20 cm	254 nm + 365 nm	5 x 8 W 6 x 8 W	470 x 340 x 135 mm
29 77 000	UVT-20 SV	Advanced	20 x 20 cm	254 nm Variable intensity	6 x 8 W	470 x 340 x 135 mm
29 65 000	UVT-20 M	Standard	20 x 20 cm	312 (302) nm	6 x 8 W	470 x 340 x 135 mm
29 65 005	UVT-20 M- HC	High Contrast	20 x 20 cm	312 (302) nm	6 x 8 W	470 x 340 x 135 mm
29 70 020	UVT-20 ME	Economy	20 x 20 cm	312 (302) nm	6 x 8 W	310 x 316 x 80 mm
29 70 025	UVT-20 ME- HC	High Contrast	20 x 20 cm	312 (302) nm	6 x 8 W	310 x 316 x 80 mm
29 75 100	UVT-20 M / W	Standard	20 x 20 cm	312 (302) nm + White light	6 x 8 W 3 x 6 W	470 x 340 x 135 mm
29 75 105	UVT-20 M/W- HC	High Contrast	20 x 20 cm	312 (302) nm + White light	6 x 8 W 3 x 6 W	470 x 340 x 135 mm
29 76 600	UVT-20 ML	Advanced	20 x 20 cm	312 (302) nm + 365 nm	6 x 8 W 5 x 8 W	470 x 340 x 135 mm
29 77 100	UVT-20 MV	Advanced	20 x 20 cm	312 (302) nm Variable intensity	6 x 8 W	470 x 340 x 135 mm
29 77 105	UVT-20 MV- HC	High Contrast	20 x 20 cm	312 (302) nm Variable intensity	6 x 8 W	470 x 340 x 135 mm
29 70 000	UVT-20 L	Standard	20 x 20 cm	365 nm	6 x 8 W	470 x 340 x 135 mm
29 70 010	UVT-20 LE	Economy	20 x 20 cm	365 nm	6 x 8 W	310 x 316 x 80 mm
29 75 200	UVT-20 L / W	Standard	20 x 20 cm	365 nm + White light	6 x 8 W 3 x 6 W	470 x 340 x 135 mm
29 77 200	UVT-20 LV	Advanced	20 x 20 cm	365 nm Variable intensity	6 x 8 W	470 x 340 x 135 mm

→ All models are available in 115 V, as well.

Short overview:




**E Economy housing
M midwave UV**

UVT-14 und UVT-22 have the same dimensions, but the filter size is different



Advanced: here SML - 3 UV wavelengths



**Standard housing
here combination of M midwave UV and
W white light**



Economy housing



**HC High Contrast filter
for better contrast
M midwave UV
Filter size: 22 x 28 cm**



**Standard housing
S shortwave UV
big Filter size: 20 x 40 cm**



Models:

Cat. No. 230 V	Model	Class	Filter size	Wavelength	Number of tubes	Dimension of the housing
29 60 100	UVT-28 S	Standard	22 x 28 cm	254 nm	8 x 8 W	470 x 340 x 135 mm
29 70 130	UVT-28 SE	Economy	22 x 28 cm	254 nm	8 x 8 W	310 x 316 x 80 mm
29 77 400	UVT-28 SV	Advanced	22 x 28 cm	254 nm Variable intensity	8 x 8 W	470 x 340 x 135 mm
29 65 100	UVT-28 M	Standard	22 x 28 cm	312 (302) nm	8 x 8 W	470 x 340 x 135 mm
29 65 105	UVT-28 M- HC	High Contrast	22 x 28 cm	312 (302) nm	8 x 8 W	470 x 340 x 135 mm
29 70 120	UVT-28 ME	Economy	22 x 28 cm	312 (302) nm	8 x 8 W	310 x 316 x 80 mm
29 70 125	UVT-28 ME- HC	High Contrast	22 x 28 cm	312 (302) nm	8 x 8 W	310 x 316 x 80 mm
29 77 500	UVT-28 MV	Advanced	22 x 28 cm	312 (302) nm Variable intensity	8 x 8 W	470 x 340 x 135 mm
29 77 505	UVT-28 MV- HC	High Contrast	22 x 28 cm	312 (302) nm Variable intensity	8 x 8 W	470 x 340 x 135 mm
29 70 100	UVT-28 L	Standard	22x 28 cm	365 nm	8 x 8 W	470 x 340 x 135 mm
29 70 110	UVT-28 LE	Economy	22 x 28 cm	365 nm	8 x 8 W	310 x 316 x 80 mm
29 77 600	UVT-28 LV	Advanced	22 x 28 cm	365 nm Variable intensity	8 x 8 W	470 x 340 x 135 mm
29 60 200	UVT-40 S	Standard	20 x 40 cm	254 nm	6 x 15 W	470 x 340 x 135 mm
29 77 700	UVT-40 SV	Advanced	20 x 40 cm	254 nm Variable intensity	6 x 15 W	470 x 340 x 135 mm
29 65 200	UVT-40 M	Standard	20 x 40 cm	312 (302) nm	6 x 15 W	470 x 340 x 135 mm
29 65 205	UVT-40 M- HC	High Contrast	20 x 40 cm	312 (302) nm	6 x 15 W	470 x 340 x 135 mm
29 77 800	UVT-40 MV	Advanced	20 x 40 cm	312 (302) nm Variable intensity	6 x 15 W	470 x 340 x 135 mm
29 77 805	UVT-40 MV- HC	High Contrast	20 x 40 cm	312 (302) nm Variable intensity	6 x 15 W	470 x 340 x 135 mm
29 70 200	UVT-40 L	Standard	20 x 40 cm	365 nm	6 x 15 W	470 x 340 x 135 mm
29 77 900	UVT-40 LV	Advanced	20 x 40 cm	365 nm Variable intensity	6 x 15 W	470 x 340 x 135 mm

→ All models are available in 115 V, as well.

❖ White Light and Blue Light Transilluminators → see page 8



All Herolab products carry the CE sign. The transilluminators are built according to DIN EN 61010-1. Herolab has its own Quality Management System which is according to ISO 9001. Herolab reserves the right for technical changes without prior notice.

UV Replacement tubes



Caution:

UV light is dangerous for your eyes and your skin.
Always wear an adequate protection.

Cat. No.	For model		Energy	Wavelength	Number of tubes in the unit
29 84 800	UVT-14 UVT-22	S	6 Watt	254 nm	4
29 84 900		M	6 Watt	312 (302) nm	4
29 85 000		L	6 Watt	365 nm	4
29 84 300	UVT-20	S	8 Watt	254 nm	6
29 84 400		M	8 Watt	312 (302) nm	6
29 84 500		L	8 Watt	365 nm	6
29 84 300	UVT-20	S	8 Watt	254 nm	6
29 84 400		M	8 Watt	312 (302) nm	6
29 84 500		L	8 Watt	365 nm	6
29 84 600	Combi units	S/W M/W L/W	6 Watt	Weißlicht	je 3
29 84 300	UVT-28	S	8 Watt	254 nm	8
29 84 400		M	8 Watt	312 (302) nm	8
29 84 500		L	8 Watt	365 nm	8
29 84 000	UVT-40	S	15 Watt	254 nm	6
29 84 100		M	15 Watt	312 (302) nm	6
29 84 200		L	15 Watt	365 nm	6

Replacement filter with Stainless Steel frame, Gel scoops and Gel cutters on request

All Herolab products carry the CE sign. The transilluminators are built according to DIN EN 61010-1.
Herolab has its own Quality Management System which is according to ISO 9001.
Herolab reserves the right for technical changes without prior notice.

Blue Light LED Transilluminators

- Excitation of SYBR Dyes or Ethidiumbromide through Blue Light within range of about 470 nm
 - **No dangerous UV light is emitted**
 - **No damaging of your DNA samples**



Cat. No.	Model	Filter size	Dimension of the housing
29 61 380	UVT-14-BE-LED	11 x 14 cm	266 x 186 x 80 mm
29 61 680	UVT-22-BE-LED	14 x 22 cm	266 x 186 x 80 mm
29 78 200	UVT-20-BE-LED	20 x 20 cm	310 x 316 x 80 mm
29 78 280	UVT-28-BE-LED	22 x 28 cm	310 x 316 x 80 mm
29 93 150	Orange Brille	Please order separately with transilluminator	

❖ Orange Glasses (please order separately)

- Protection from the high intensity of the LED light
- Recognition of the bands



White Light LED Transilluminators

Cat. No.	Model	Filter size	Dimension of the housing
29 61 480	UVT-14-WE-LED	11 x 14 cm	266 x 186 x 80 mm
29 61 780	UVT-22-WE-LED	14 x 22 cm	266 x 186 x 80 mm
29 78 300	UVT-20-WE-LED	20 x 20 cm	310 x 316 x 80 mm
29 75 280	UVT-28-WE-LED	22 x 28 cm	310 x 316 x 80 mm

➤ Advantages of the Herolab Blue Light LED transilluminators:

- Homogeneous Lightning of the filter because of:
 - Installation of up to 450 basal, Premium quality LEDs in UVT-28
 - Installation of a High-quality diffusor plate
- Reduction of the background signal through:
 - Set of a special filter glass
- Housing of the transilluminators is out of stainless steel though there is easy cleaning
- Long lifetime Premium quality LEDs



По вопросам продаж и поддержки обращайтесь:				
Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89	Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81	Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижегород (831)429-08-12 Новокузнецк (3843)20-46-81 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47	Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35	Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93
Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47